

## NORMES ET FRAIS TECHNIQUES DES ENCARTS 2023

Quantité minimum pour une opération : 200 000 exemplaires au national

### FRAIS TECHNIQUES

Tarifs au 1000

#### ENCARTS BROCHES

*\* sur totalité du tirage et sous réserve accord éditeur*

|           |         |
|-----------|---------|
| Central   | 6,70 €  |
| A cheval* | 13,40 € |
| Prépiqué* | 23,30 € |

#### ENCARTS COLLES SUR UNE PAGE DE PUBLICITE INTERIEURE RECTO\*

*\* sur totalité du tirage et sous réserve accord éditeur et faisabilité des titres*

|                        |         |
|------------------------|---------|
| Carte                  | 27,50 € |
| Echantillon ou booklet | 35,20 € |

#### ENCARTS COLLES SUR PAGE RECTO DE LA DOUBLE D'OUVERTURE\*

*\* achat de la DO, sous réserve accord éditeur et faisabilité des titres*

|  |         |
|--|---------|
| Carte                                    | 20,00 € |
| Echantillon ou booklet (selon épaisseur) | 26,00 € |

#### ENCARTS POSES sur 4e de couverture et mise s/film sur KIOSQUES

|           |         |
|-----------|---------|
| 2 pages   | 49,50 € |
| > 2 pages | 55,00 € |

#### ENCART VOLANT JETE INTERIEUR

|   |         |
|---|---------|
| 2 pages jetées (sous couverture en cours de brochage)         | 21,30 € |
| 4 à 32 pages jetées (en aléatoire dans revue façonnée) < 40 g | 26,50 € |

**NORMES TECHNIQUES****Format du magazine :** 210 x 250 mm (L X H)

DOS PIQUÉ - taqué en tête

**ATTENTION TOUTE FABRICATION EN PLIS ACCORDÉON EST REFUSÉE**GRAMMAGE PAPIER : <https://cmimedia.fr/specifications>**Ce titre est imprimé sur papier PEFC. Nous souhaitons que les encarts soient imprimés sur papier certifié, non controversé (PEFC-FSC)**

QUANTITE A LIVRER : TIRAGE + 2% de passe impératif

NORMES DE CONDITIONNEMENT : <https://cmimedia.fr/specifications>**Merci de nous consulter pour toute autre demande ne répondant pas aux contraintes ci-dessous**

| ENCARTS BROCHES  | FORMAT (L x H) |           |
|--|----------------|-----------|
|  | MINI           | MAXI      |
| <i>* sur totalité du tirage et sous réserve accord éditeur</i> |                |           |
| Central ou à cheval *  | 110 x 150      | 210 x 250 |
| Prépiqué *   | 110 x 150      | 205 x 250 |

Attention, vos textes et partie sensible d'image doivent être en retrait de 10 mm

FORMAT MINI : + 3 mm de rogne en tête

FORMAT MAXI : + 3 mm de rogne en tête + 5 mm de rogne en pied et en barbe

*Les encarts 2 pages doivent être fournis pliés avec un rabat technique non imprimé de 110 mm**Les encarts à partir de 8 pages doivent être tenus en tête ou comporter un dépassant de 10 mm sur la partie arrière*

| ENCARTS COLLES  | FORMAT (L x H) |           |
|---|----------------|-----------|
|   | MINI           | MAXI      |
| <b>Tout collage devra faire l'objet d'une étude de faisabilité chez les brocheurs</b> |                |           |
| Carte   | 60 x 80        | 120 x 150 |
| Echantillon ou booklet (selon épaisseur si collage en DO)                             | 60 x 80        | 120 x 150 |

**ZONE DE TOLERANCE : 10 mm dans tous les sens - POIDS MAXI : 25 g - EPAISSEUR MAXI (collage intérieur) : 2 mm**

· Ne pas faire figurer d'hirondelles de placement sur les fichiers de la page pour impression.

· Les échantillons seront soumis à un essai de collage + un test de pression préalables sur 50 exemplaires minimum, au plus tard 6 semaines avant parution.

ZONE DE COLLAGE : voir ci-après

| ENCARTS POSES sur 4e de couverture et mise s/film | FORMAT (L x H) |           |
|---|----------------|-----------|
|   | MINI           | MAXI      |
| 2 pages et +                                      | 110 x 110      | 210 x 250 |

| ENCARTS JETES INTERIEUR                                       | FORMAT (L x H) |           |
|---|----------------|-----------|
|   | MINI           | MAXI      |
| 2 pages jetées (sous couverture en cours de brochage)         | 110 x 150      | 190 x 230 |
| 4 à 32 pages jetées (en aléatoire dans revue façonnée) < 40 g | 110 x 110      | 190 x 230 |

*grammage papier : 120 g/m<sup>2</sup> au minimum pour un 2 pages***IMPERATIFS TECHNIQUES A RESPECTER POUR TOUTES OPERATIONS D'ENCARTAGE**

- 2 maquettes en blanc réalisées au format et qualité de papier choisis, pour accord technique au plus tard 6 semaines avant parution.
  - Envoi d'un PDF du visuel de l'encart ou de l'emplacement du collage pour validation technique au plus tard 5 semaines avant parution.
- Aucune contestation ne pourra être prise en considération si ces conditions ne sont pas respectées.

**En raison des impératifs inhérents à l'exécution du façonnage industriel, l'encartage est garanti à hauteur de 97 % du tirage, cette tolérance de 3% est déduite de nos tarifs.****CONTACT TECHNIQUE (ceci n'est pas l'adresse de livraison des exemplaires définitifs)**

CMI MEDIA - IMMEUBLE SEXTANT  
 3 Avenue André Malraux - BUREAU S 350 - 92300 LEVALLOIS PERRET  
[encarts@cmimedia.fr](mailto:encarts@cmimedia.fr)

## TECHNICAL SPECIFICATIONS AND COSTS FOR INSERTS 2023

Minimum quantity for an operation : 200 000 copies on national

### TECHNICAL COSTS

Rates per 1000

#### BOUND INSERT

*\*In the entire circulation, under the editors agreement*

|                      |         |
|----------------------|---------|
| Central              | 6,70 €  |
| Overlapped Insert*   | 13,40 € |
| Pre-stitched Insert* | 23,30 € |

#### INSERT GLUED ONTO A RHP ADVERT\*

*\*In the entire circulation, under the editors agreement*

|                   |         |
|-------------------|---------|
| Card              | 27,50 € |
| Sample or booklet | 35,20 € |

#### INSERT GLUED ON TOP OF THE DOUBLE-SIDED OPENING

*\*Buying a double opening*

|  |         |
|--|---------|
| Card                                       | 20,00 € |
| Sample or booklet (according to thickness) | 26,00 € |

#### INSERT ON OBC, POLYBAGGED for newsstands

*On Editor agreement*

|           |         |
|-----------|---------|
| 2 pages   | 49,50 € |
| > 2 pages | 55,00 € |

#### LOOSE INSERT put inside in an unspecified place, for newsstands

|  |         |
|--|---------|
| 2 loose pages (inserted at the time of binding)          | 21,30 € |
| 4 to 32 pages (inserted in the finished magazine) > 40 g | 26,50 € |

**Magazine format : 210 x 250 mm (W x H)**

SADDLE STITCHED - jog to the head

**ATTENTION ALL MANUFACTURING FOLDED INTO PLEATS WILL NOT BE ACCEPTED**

PAPER WEIGHT : <https://cmimedia.fr/specifications>

**This magazine is printed on PEFC paper. We would like the inserts to be printed on certified paper, non-controversial ( PEFC-FSC)**

**DELIVERY AMOUNT : PRINT RUN + 2% of waste**

Packaging instructions : <https://cmimedia.fr/specifications>

*Please contact us regarding any other requests that are not answered by the information below*

| BOUND INSERT   | FORMAT (W x H) |           |
|--|----------------|-----------|
|  | MINI           | MAXI      |
| <i>*In the entire circulation, under the editors agreement</i> |                |           |
| Central or Overlapped*   | 110 x 150      | 210 x 250 |
| Pre-stitched*  | 110 x 150      | 205 x 250 |

Attention, your texts and images should be left no nearer than 10mm from the trim edge

MINIMUM FORMAT: + 3 mm of top bleed

MAXIMUM FORMAT: + 3 mm of top bleed, + 5 mm of bottom bleed and fore-edge bleed.

*Inserts of 2 pages must be provided with an unprinted technical flap of 110 mm*

*inserts from 8 pages must be submitted with a closed head or with an excess of 10 mm to the back*

| GLUED INSERTS  | FORMAT (W x H) |           |
|--|----------------|-----------|
|  | MINI           | MAXI      |
| <i>Any insert or glued sample must be subject to a feasibility study at the binderys</i> |                |           |
| Card   | 60 x 80        | 120 x 150 |
| Sample or Booklet (according to thickness if gluing in opening spread)                   | 60 x 80        | 120 x 150 |

**ACCEPTED LIMITS : 10 mm in both directions - MAXIMUM WEIGHT : 25 g - MAXIMUM THICKNESS (inside gluing) : 2 mm**

· Do not include any registration marks (for the insert placement) in the file that will be printed.

· The samples will be subjected to a tip-on test and preliminary pressure-testing on a minimum of 50 samples, no later than 6 weeks before publication.

Gluing Limits, see below

| INSERT ON OBC, POLYBAGGED | FORMAT (W x H) |           |
|---------------------------|----------------|-----------|
|                           | MINI           | MAXI      |
| 2 pages or more           | 110 x 110      | 210 x 250 |

| LOOSE INSERT put inside in an unspecified place, for newsstands      | FORMAT (W x H) |           |
|--|----------------|-----------|
|  | MINI           | MAXI      |
| 2 loose pages inserted at the time of binding                        | 110 x 150      | 190 x 230 |
| 4 to 32 loose pages or more inserted in the finished magazine < 40 g | 110 x 110      | 190 x 230 |

*paper weight : 120 g/m<sup>2</sup> minimum for an insert of 2 pages*

#### REQUIRED TECHNICAL DOCUMENTS:

- 2 white dummies in the chosen format and quality of paper, for technical approval
- A visual PDF file of the insert or of its positioning must be sent for technical validation no later than 5 weeks before publication.

If these conditions are not met, no contestation will be taken into account.

**Owing to the necessity inherent in the execution of industrial finishing, the inserting is guaranteed to the level of 97% of the Print run, this tolerance of 3% is deducted from our prices.**

**CONTACT (This is not the delivery address for final copies)**

CMI MEDIA - IMMEUBLE SEXTANT  
3 Avenue André Malraux - BUREAU S 350 - 92300 LEVALLOIS PERRET  
[encarts@cmimedia.fr](mailto:encarts@cmimedia.fr)